Index

A

ABERNATHY, R. P., JOSEPHINE MILLER, JANE WENTWORTH AND MARY SPEIRS. Metabolic patterns in preadolescent children. XIV. Effect of amount and source of dietary protein on absorption of iron, 265.

ACKERMAN, C. J. The absence of thyroid hormones in a growth factor of duodenal powder, 150.

Adenine, dietary, effect on hepatic nucleotide levels and NAD synthesis in rats, 221.

Africa, nitrogen balance studies of children in, 235.

Amino acid(s) analysis of inbred-strain mouse milk, 305.

— —, effect of varying dietary level on urinary creatinine excretion in rats, 181.

— —, essential, effect of altering intake on nitrogen retention of men, with total nitrogen kept constant, 139.

— — —, effect on nitrogen retention of men of varying total dietary nitrogen with constant intake of, 260.

— —, free, and lipids in rat tissues, effect of dietary vitamin D and protein, 283.

ANDERSON, CARL E. See Miller, Bradford, 21.

ANDERSON, THOMAS A. See Fausch, Homer D., 145.

ANTAR, MOHAMED A., AND MARGARET A. OHLSON. Effect of simple and complex carbohydrates upon total lipids, nonphospholipids, and different fractions of phospholipids of serum in young men and women, 329.

APPLEBAUM, SHALOM W., AND ABRAHAM M. KONIJN. The utilization of starch by larvae of the flour beetle, *Tribolium castaneum*, 275.

ARATA, DOROTHY. See Morris, Linda, 362.

ARATA, DOROTHY. See Rikans, Lora Long, 107.

ARNRICH, LOTTE. See Kenney, Mary Alice, 213.

Ascorbic acid, and decreased growth in copper deficiency in chicks, 271.

— —, reserpine and diethylstilbestrol supplement to copper-deficient diet fed chickens, 67.

ASENJO, CONRADO F. See Goyco, José A., 52.

Assay (bio) procedure for relative growth index in rats, 159.

— — of starch, use of larvae of flour beetle, 275.

AXELROD, A. E. See Montjar, M., 45.

B

BALTZER, B. V. See Miller, E. R., 13.

BARNES, R. H. See Pond, W. G., 57.

BARNES, RICHARD H., EVA KWONG AND GRACE FIALA. Effect of penicillin added to an unheated soybean diet on cystine excretion in feces of the rat, 123.

BARNES, RICHARD H., GRACE FIALA AND EVA KWONG. Prevention of coprophagy in the rat and the growth-stimulating effects of methionine, cystine and penicillin when added to diets containing unheated soybeans, 127.

BARNES, ROBERT. See Packett, L. V., 89.

Bee(s), fed various proteins, partition of excreted nitrogen, 113.

BEEUWKES, ADELIA M., AND MARGARET W. JOHNSTON. Louis Harry Newburgh — a biographical sketch, 1.

BEGG, DOROTHY J. See Munro, H. N., 319.

BLANK, M. L. See Privett, O. S., 187.

BLOCK, WALTER D., RICHARD W. HUBBARD AND BETTY F. STEELE. Excretion of histidine and histidine derivatives by human subjects ingesting protein from different sources, 419.

Body composition and lipid metabolism, effect of citrus protein feeding, 145.

BORCHERS, RAYMOND. Environmental temperature and growth inhibition of weanling rats fed raw soybean rations, 205.

Bovine(s), young, re-entrant ileal fistula for study of carbohydrate utilization by, 429.

BRADFIELD, R. B. See Pond, W. G., 57.

BRENNER, RODOLFO R., AND PEDRO JOSE. Action of linolenic and docosahexaenoic acids upon the eicosatrienoic acid level in rat lipids, 196.

BRING, SHIRLEY V., CECELIA A. RICARD AND MARY V. ZAEHRINGER. Relationship between cholesterol and vitamin A metabolism in rats fed at different levels of vitamin A, 400.

BROWN, MYRTLE L., AND CAROLYN H. SNODGRASS. Effect of dietary l el of thiamine on reproduction in the rat, 102.

C

CABELL, C. A. See Robbins, J. D., 355.

Calcium, antagonistic effect on Zn^{65} absorption in rats fed practical diet, 367.

— balance, effect of dietary vitamin D_3 level on in baby pig, 255.

—, effect on utilization of dietary zinc by rats, 230.

Calorie(s) level, effect on net protein utilization in chicks, 386.

— restriction and reduced feeding time, effect on dental caries in rats, 338.

Carbohydrate(s), effect of type on lipids, nonphospholipids, and fractions of phospholipids of serum of men and women, 329.

—, effect of type on total nitrogen, lysine, and methionine excretion by rats, 207.

— utilization by young bovine, use of re-entrant ileal fistula to study, 429.

Carcinosarcoma, Walker, growth, and protein reserves in rats, 393.

Caries, dental, in rats, effect of caloric restriction and reduced feeding time on, 338.

CARLTON, W. W., AND WILSON HENDERSON. Studies in chickens fed a copper-deficient diet supplemented with ascorbic acid, reserpine and diethylstilbestrol, 67.

β-Carotene, fermentation, for swine, vitamin A activity of, 375.

Casein vs. soy proteins, effect on mineral balance and vitamin D_3 requirement of baby pig, 347.

CEDERQUIST, DENA C. See Morris, Linda, 362.
CEDERQUIST, DENA C. See Rikans, Lora Long, 107.
CHANG, YET-OY. Excretion of total nitrogen, lysine and methionine by rats as affected by the type of carbohydrate in the diet, 207.
CHANG, YET-OY. See Hegsted, D. M., 159.
Chicken(s), carcass analysis method for determination of net protein utilization. II. Protein, calorie and fiber level, 386.
—, effect of reducing agents on copper deficiency in, 271.
— fed copper-deficient diet with ascorbic acid, reserpine and diethylstilbestrol, 67.
— muscle, lipids of, effect of age and dietary fat, 38.
—, protein levels in growing diets and reproduction of cockerels, 29.
Children, preadolescent, effect of amount and source of dietary protein on iron absorption, 265.
—, urinary and fecal excretion of endogenous nitrogen in, 235.
Cholesterol, and production of fatty livers by amino acids fed in protein-free ration, in the rat, 73.
— and vitamin A metabolism in rats fed at different vitamin A levels, 400.
—, effect of thiamine deficiency and repletion, in rat liver, 21.
Choline, effect on fatty livers produced in rats by excess niacin in high fat diets, 107.
Citrus pectin feeding, effect on lipid metabolism and body composition of swine, 145.
Complement, effect of dietary protein in protein-depleted rats on, 213.
Copper deficiency, effect of reducing agents on, in chicks, 271.
— -deficient diet supplemented with ascorbic acid, reserpine and diethylstilbestrol, in chickens, 67.
Coprophagy prevention in rat and growth-stimulating effects of methionine, cystine and penicillin in unheated soybean diets, 127.
Creatinine, urinary, excretion of rats fed at varying levels of protein and amino acids, 181.
Cystine, effect on loss of phospholipids and plasmalogens, in the rat, 82.
— excretion in rat feces, effect of penicillin added to unheated soybean diet, 123.
—, growth-stimulating effects of in unheated soybean diet, with coprophagy prevention in rats, 127.

D

DEMAEYER, E. M. See Fomon, Samuel J., 235.
Diethylstilbestrol, effect on chicks fed copper-deficient diet, 67.
Diet(s), copper-deficient, effect of reducing agents on growth and mortality of chicks, 271.
—, flesh and non-flesh, histidine excretion following ingestion by human subjects, 419.
—, practical, antagonistic effect of calcium on Zn^{65} absorption in rats fed, 367.
—, vegetarian, manganese metabolism in men consuming, 132.
Digestion, cellulose, volatile fatty acid production and forage evaluation, influence of hemicellulose A and B, 89.
Dimercaptopropanol (BAL), and decreased growth in copper-deficient chicks, 271.
DNA content of rat liver, effect of protein malnutrition, 169.
Docosahexaenoic acid, effect on eicosatrienoic acid level in rat lipids, 196.
DOLNICK, E. H. See Robbins, J. D., 355.
DUERRE, D. J. See Wilson, H. R., 29.
Duodenum (-al) powder, absence of thyroid hormones in growth factor, 150.

E

Energy intake effect on protein deficiency and body composition of baby pigs fed equalized but suboptimal protein, 57.

F

Fat(s), dietary, effect on fatty livers in rats fed low protein, threonine-deficient diets, 362.
— —, effect on plasma and liver lipids of propylthiouracil-treated rats, 426.
— —, effect on triglyceride structure in rats, 187.
— supplements, body weight and osteoarthritis in mice, 117.
Fatty acids, volatile, production, cellulose digestion, and forage evaluation, influence of hemicellulose A and B, 89.
FAUSCH, HOMER D., AND THOMAS A. ANDERSON. Influence of citrus pectin feeding on lipid metabolism and body composition of swine, 145.
FIALA, GRACE. See Barnes, Richard H., 123, 127.
Fiber level, effect on net protein utilization in chicks, 386.
FISHER, HANS. Variations in the urinary creatinine excretion of rats fed diets with different protein and amino acid content, 181.
Fistula, re-entrant ileal, for study of carbohydrate utilization by young bovine, 429.
Flour beetle, utilization of starch by larvae of, 275.
Folic acid deficiency, effect on response of rats to thalidomide, 309.
FOMON, SAMUEL J., E. M. DEMAEYER AND GEORGE M. OWEN. Urinary and fecal excretion of endogenous nitrogen by infants and children, 235.
Food(s) availability, effect on dental caries in rats, 338.
FORBES, R. M. See Likuski, H. J. A., 230.
FRIEDMAN, LEONARD, G. M. SHUE AND E. L. HOVE. Response of rats to thalidomide as affected by riboflavin or folic acid deficiency, 309.

G

GIFFORD, ELIZABETH DYAR. See Harrill, Inez, 283.
GOYCO, JOSE A., AND CONRADO F. ASENJO. The lactation value, a new index of protein evaluation, 52.
Glyceride(s), neutral, and production of fatty livers by amino acids fed in protein-free ration, in the rat, 73.
—, neutral, effect of thiamine deficiency and repletion, in rat liver, 21.
Growth factor of duodenal powder, absence of thyroid hormones in, 150.
— index, relative, as bioassay procedure in rats, 159.

— inhibition of rats fed raw soybean rations, and environmental temperature, 205.
— -stimulating effects of methionine, cystine, and penicillin in unheated soybean diets, with coprophagy prevention in rats, 127.

H

Hair growth in rats, effect of dietary level of minerals on, 355.
HALL, H. H. See Ullrey, D. E., 375.
HARRILL, INEZ, AND ELIZABETH DYAR GIFFORD. Effect of dietary vitamin D and protein on free amino acids and lipids in selected rat tissues, 283.
HARMS, R. H. See Wilson, H. R., 29.
HEGSTED, D. M., AND YET-OY CHANG. Protein utilization in growing rats. I. Relative growth index as a bioassay procedure, 159.
Hemicellulose A and B, influence on cellulose digestion, volatile fatty acid production and forage evaluation, 89.
Hemolysin, effect of dietary protein in protein-depleted rats on, 213.
HENDERSON, WILSON. See Carlton, W. W., 67.
HETH, D. A., AND W. G. HOEKSTRA. Zinc-65 absorption and turnover in rats. I. A procedure to determine zinc-65 absorption and the antagonistic effect of calcium in a practical diet, 367.
HILL, CHARLES H., AND BARRY STARCHER. Effect of reducing agents on copper deficiency in the chick, 271.
Histidine and derivatives, excretion by human subjects ingesting protein from different sources, 419.
HOAG, W. G. See Meier, H., 305.
HOEFER, J. A. See Miller, E. R., 13, 255, 347.
HOEFER, J. A. See Ullrey, D. E., 375.
HOEKSTRA, W. G. See Heth, D. A., 367.
Hormone(s), thyroid, lacking in growth factor of duodenal powder, 150.
HOTCHKISS, D. K. See Morrill, J. L., 429.
HOUSER, HAROLD B. See Strain, Gladys W., 407.
HOVE, E. L. See Friedman, Leonard, 309.
HOVE, E. L. See Shue, G. M., 247.
HUBBARD, RICHARD W. See Block, Walter D., 419.
Humans, excretion of histidine and derivatives after ingesting protein from different sources, 419.
HUNSCHER, HELEN A. See Strain, Gladys W., 407.
HURLEBAUS, ALICE J. See Williams, J. N., Jr., 73, 82.
Hypercholesterolemia in rats, and interrelation of vitamin B_6 and sex factor, 247.

I

Index of protein evaluation, the lactation value, in the rat, 52.
—, relative growth, as bioassay procedure in rats, 159.
Infants, urinary and fecal excretion of endogenous nitrogen in, 235.
Iron absorption, effect of amount and source of dietary protein on, in preadolescnt children, 265.
ISSEKUTZ, B., Jr. See Rodahl, K., 174.

J

JACOBSON, N. L. See Morrill, J. L., 429.
JOHNSTON, MARGARET W. See Beeuwkes, Adelia M., 1.
JONES, J. E. See Wilson, H. R., 29.
JOSE, PEDRO. See Brenner, Rodolfo R., 196.

K

KENNEY, MARY ALICE, LOTTE ARNRICH, EVELYN MAR AND CHARLOTTE E. RODERUCK. Influence of dietary protein on complement, properdin and hemolysin in adult protein-depleted rats, 213.
KIES, CONSTANCE V., AND HELLEN M. LINKSWILER. Effect on nitrogen retention of men of altering the intake of essential amino acids with total nitrogen held constant, 139.
KIES, CONSTANCE V., LUCY SHORTRIDGE AND MAY S. REYNOLDS. Effect on nitrogen retention of men, of varying the total dietary nitrogen with essential amino acid intake kept constant, 260.
KONIJN, ABRAHAM M. See Applebaum, Shalom W., 275.
KROOK, L. See Pond, W. G., 57.
KWONG, EVA. See Barnes, Richard H., 123, 127.
KWONG, E. See Pond, W. G., 57.

L

Lactation value, a new index of protein evaluation, in the rat, 52.
LANG, VIRGINIA M., BARBARA B. NORTH AND LURA M. MORSE. Manganese metabolism in college men consuming vegetarian diets, 132.
LIKUSKI, H. J. A., AND R. M. FORBES. Mineral utilization in the rat. IV. Effects of calcium and phytic acid on the utilization of dietary zinc, 230.
LINKSWILER, HELLEN M. See Kies Constance V., 139.
Linolenic acid, effect on eicosatrienoic acid level in rat lipids, 196.
Lipid(s) and free amino acids in rat tissue, effect of dietary protein, 283.
— and free amino acids in rat tissue, effect of protein and dietary vitamin D, 283.
— metabolism and body composition of swine, effect of citrus pectin feeding, 145.
— of chicken muscle, effect of age and dietary fat, 38.
—, plasma and liver of propylthiouracil-treated rats, effect of dietary fats on, 426.
—, rat, effect of linolenic and docosahexaenoic acids on eicosatrienoic acid level of, 196.
—, total, of men and women, effect of type of carbohydrate on, 329.
LIU, CHING-TONG. Effect of dietary fat on plasma and liver lipids of propylthiouracil-treated rats, 426.
Liver(s) cell nuclei of rat, effect of protein intake on ribonucleic acid metabolism in, 319.
—, fatty, in rats fed low protein, threonine-deficient diet. I. Effect of various diet fats, 362.
—, fatty, produced in rats by excess niacin in high fat diets, effect of choline, 107.

— response to prolonged protein depletion. V. Neutral glycerides and cholesterol, production of fatty livers by certain amino acids in protein-free ration, in rats, 73.
— response to prolonged protein depletion. VI. Total phospholipids and plasmalogens, and protection of phospholipids by methionine and cystine, in rats, 82.
LUECKE, R. L. See Miller, E. R., 347.
LUECKE, R. W. See Miller, E. R., 13, 255.
Lysine excretion by rats, effect of type of carbohydrate on, 207.

M

Magnesium balance in baby pig, effect of dietary vitamin D_2 level on, 255.
—, effects of dietary calcium and phytic acid on utilization by rats, 230.
— requirement of baby pig, 13.
Manganese metabolism in men consuming vegetarian diets, 132.
MAR, EVELYN. See Kenney, Mary Alice, 213.
MARION, J. E. Effect of age and dietary fat on the lipids of chicken muscle, 38.
MARTIN, ROSALIE S. See De Muelenaere, H. J. H., 386.
Maturity, sexual, of female rat, delay by *Sterculia foetida* oil, 8.
MCBURNEY, J. J. See Meier, H., 305.
MCCAUGHEY, W. F. See McNally, J. B., 113.
MCGILLIARD, A. D. See Morrill, J. L., 429.
MCNALLY, J. B., W. F. MCCAUGHEY, L. N. STANDIFER AND F. E. TODD. Partition of excreted nitrogen from honey bees fed various proteins, 113.
MEIER, H., W. G. HOAG AND J. J. MCBURNEY. Chemical characterization of inbred-strain mouse milk. I. Gross composition and amino acid analysis, 305.
Men consuming vegetarian diets, mineral metabolism in, 132.
—, effect of type of carbohydrate on total lipids, nonphospholipids and fractions of phospholipids, in serum of, 329.
—, nitrogen retention of, effect of varying total dietary nitrogen with essential amino acid intake kept constant, 260.
—, nitrogen retention of, with varying intakes of essential amino acids and total nitrogen kept constant, 139.
—, thiamine excretion with restricted intake, 287.
Metabolism, lipid, and body composition of swine, effect of citrus pectin feeding, 145.
—, manganese, in men consuming vegetarian diets, 132.
— patterns in preadolescent children. XII. Effect of amount and source of dietary protein on iron absorption, 265.
—, ribonucleic acid, in rat liver cell nuclei, effect of protein intake on, 319.
—, sulfur, in rats, and effect of excess vitamin A, 174.
—, triglyceride, effect of dietary fat on, in rats, 187.
Methionine excretion by rats, effect of type of carbohydrate on, 207.
—, effect on loss of phospholipids and plasmalogens, in the rat, 82.
—, growth-stimulating effects of in unheated soybean diet, with coprophagy prevention in rats, 127.
— in serum proteins and urine of rabbits, effect of protein depletion and repletion on activity of S^{35} from, 407.
Mice, fat supplements, body weight, osteoarthritis, 117.
MICKELSEN, OLAF. See Sokoloff, Leon, 117.
MILLER, BRADFORD, CARL E. ANDERSON, GEORGE P. VENNART, J. N. WILLIAMS, JR. AND CLAUDE PIANTADOSI. Effect of thiamine deficieny and thiamine repletion on neutral glyceride, total and free cholesterol, phospholipids and plasmalogens in rat liver, 21.
MILLER, E. R., D. E. ULLREY, C. L. ZUTAUT, B. V. BALTZER, D. A. SCHMIDT, J. A. HOEFER AND R. W. LUECKE. Magnesium requirement of the baby pig, 13.
MILLER, E. R., D. E. ULLREY, C. L. ZUTAUT, J. A. HOEFER AND R. L. LUECKE. Comparisons of casein and soy proteins upon mineral balance and vitamin D_2 requirement of the baby pig, 347.
MILLER, E. R., D. E. ULLREY, C. L. ZUTAUT, J. A. HOEFER AND R. W. LUECKE. Mineral balance studies with the baby pig: effects of dietary vitamin D_2 level upon calcium, phosphorus and magnesium balance, 255.
MILLER, E. R. See Ullrey, D. E., 375.
MILLER, JOSEPHINE. See Abernathy, R. P., 265.
Milk of inbred-strain mouse. I. Gross composition and amino acid analysis, 305.
Mineral(s) balance and vitamin D_2 requirement of baby pig, effect of casein and soy proteins on, 347.
— balance studies with baby pig: dietary vitamin D_2 level and calcium, phosphorus and magnesium balance, 255.
—, dietary, effect of level on urolithiasis, hair growth and weight gain in rats, 355.
— metabolism in men consuming vegetarian diets. I. Manganese, 132.
— utilization in the rat. IV. Effects of calcium and phytic acid on utilization of dietary zinc, 230.
MONTJAR, M., A. E. AXELROD AND ANTHONY C. TRAKATELLIS. Effect of pyridoxine deficiency upon polysomes and messenger RNA of rat tissues, 45.
MORRILL, J. L., N. L. JACOBSON, A. D. MCGILLIARD AND D. K. HOTCHKISS. Use of a re-entrant ileal fistula to study carbohydrate utilization by the young bovine, 429.
MORRIS, LINDA, DOROTHY ARATA AND DENA C. CEDERQUIST. Fatty livers in weanling rats fed a low protein, threonine-deficient diet. I. Effect of various diet fats, 362.
MORSE, LURA M. See Lang, Virginia M., 132.
MOTT, G. O. See Packett, L. V., 89.
Mouse, inbred-strain, gross composition and amino acid analysis of milk of, 305.
DE MUELENAERE, H. J. H., ROSALIE S. MARTIN AND M. G. MURDOCH. Applicability to chicks of the carcass analysis method for determination of net protein utilization. II. Effect of protein, calorie and fiber level, 386.

MUNRO, H. N., SUSAN WADDINGTON AND DOROTHY J. BEGG. Effect of protein intake on ribonucleic acid metabolism in liver cell nuclei of the rat, 319.
MURDOCH, M. G. See De Muelenaere, H. J. H., 386.

N

NAD synthesis and hepatic nucleotide levels in rats, effect of dietary orotic acid and adenine, 221.
Net protein utilization, carcass analysis method for determination in chicks, 386.
NEWBURGH, LOUIS HARRY — a biographical sketch, 1.
Nitrogen, endogenous, urinary and fecal excretion of by infants and children, 235.
—, excreted, from honey bees fed various proteins, partition of, 113.
— retention of men, effect of altering intake of essential amino acids, with total nitrogen kept constant, 139.
— retention of men, effect of varying total dietary nitrogen with essential amino acid intake kept constant, 260.
—, total, excretion, effect of type of carbohydrate on, in rats, 207.
Nonphospholipids, of men and women, effect of type of carbohydrate on, 329.
NORTH, BARBARA B. See Lang, Virginia M., 132.
Nucleotide(s) hepatic, levels and NAD synthesis in rats, effect of dietary orotic acid and adenine, 221.
NUNES, W. T. See Ziporin, Z. Z., 287, 297.

O

OHLSON, MARGARET A See Antar, Mohamed A., 329.
OLTJEN, R. R. See Robbins, J. D., 355.
Orotic acid, dietary, and adenine, effect on hepatic nucleotide levels and NAD synthesis in rats, 221.
Osteoarthritis, fat supplements, body weight in mice, 117.
OWEN, GEORGE M. See Fomon, Samuel J., 235.

P

PACKETT, L. V., M. L. PLUMLEE, ROBERT BARNES AND G. O. MOTT. Influence of hemicellulose A and B on cellulose digestion, volatile fatty acid production and forage nutritive evaluation, 89.
Penicillin added to unheated soybean diet and cystine excretion in rat feces, 123.
—, growth-stimulating effects of in unheated soybean diet, with coprophagy prevention in rats, 127.
PETERSON, R. E. See Ullrey, D. E., 375.
Phospholipid(s) of serum of men and women, effect of type of carbohydrate on, 329.
—, protection of loss by methionine and cystine in the rat, 82.
Phosphorus balance in baby pig, effect of dietary vitamin D_2 level on, 255.
—, effects of dietary calcium and phytic acid on utilization by rats, 230.
Phytic acid, effect on utilization of dietary zinc by rats, 230.
PIANTADOSI, CLAUDE. See Miller, Bradford, 21.
Pig(s), baby, effect of dietary vitamin D_2 level on calcium, phosphorus and magnesium balance, 255.
—, baby, energy intake, effect on protein deficiency and body composition when fed equalized but suboptimal protein, 57.
—, baby, magnesium requirement, 13.
—, baby, mineral balance and vitamin D_2 requirement, casein vs. soy proteins, 347.
Plasmalogens, effect of thiamine deficiency and repletion, in rat liver, 21.
—, protection of loss by methionine and cystine in the rat, 82.
PLUMLEE, M. L. See Packett, L. V., 89.
Polysomes and messenger RNA of rat tissue, effect of pyridoxine deficiency, 45.
POND, W. G., R. H. BARNES, R. B. BRADFIELD, E. KWONG AND L. KROOK. Effect of dietary energy intake on protein deficiency symptoms and body composition of baby pigs fed equalized but suboptimal amounts of protein, 57.
POWELL, R. C. See Ziporin, Z. Z., 287, 297.
PRIVETT, O. S., M. L. BLANK AND B. VERDINO. Influence of dietary fat on triglyceride structure in the rat, 187.
Properdin, effect of dietary protein in protein-depleted rats on, 213.
Propylthiouracil-treated rats, effect of dietary fats on plasma and liver lipids of, 426.
Protein(s) and dietary vitamin D, effect on free amino acids and lipids in rat tissues, 283.
—, casein vs. soy, effect on mineral balance and vitamin D_2 requirement of baby pig, 347.
— deficiency and body composition of baby pigs, effect of energy intake with equalized but suboptimal protein, 57.
—, dietary, effect of amount and source on iron absorption in preadolescent children, 265.
—, dietary, effect on complement, properdin, and hemolysin in protein-depleted rats, 213.
— depletion and repletion in rabbits, effect on activity of S^{35} from methionine in serum proteins and urine, 407.
— depletion, prolonged, liver response. V. Neutral glycerides and cholesterol, production of fatty livers by certain amino acids in protein-free ration, in rats, 73.
— depletion, prolonged, liver response. VII. Total phospholipids and plasmalogens, and protection of phospholipids by methionine and cystine, in rats, 82.
—, effect of varying dietary level on urinary creatinine excretion in rats, 181.
— evaluation by lactation value, in the rat, 52.
— -free ration and production of fatty livers by dietary amino acids, in the rat, 73.
— from different sources, excretion of histidine and derivatives by human subjects ingesting, 419.
— intake, effect on ribonucleic acid metabolism in rat liver cell nuclei, 319.
— level, effect on net protein utilization in chicks, 386.
— levels in growing diets and reproduction of cockerels, 29.

—, low, threonine-deficient diet, effect of various diet fats on fatty livers in rats fed, 362.
— malnutrition and DNA content of rat liver, 169.
— reserves and growth of the Walker carcinosarcoma in rats, 393.
— utilization in growing rats. I. Relative growth index as bioassay procedure, 159.
—, various, partition of excreted nitrogen from honey bees fed, 113.
Pyridoxine deficiency, and polysomes and messenger RNA of rat tissues, 45.

R

Rabbit(s), effect of protein depletion and repletion on activity of S^{35} from methionine in serum proteins and urine of, 407.
Ration(s), protein-free, and production of fatty livers by dietary amino acids, in the rat, 73.
Rat(s), antagonistic effect of calcium on Zn^{65} absorption, with practical diet, 367.
—, coprophagy prevention and growth-stimulating effects of methionine, cystine and penicillin in unheated soybean diets, 127.
—, effect of calcium and phytic acid on utilization of dietary zinc in, 230.
—, effect of caloric restriction and reduced feeding time on dental caries in, 338.
—, effect of choline on fatty livers produced by excess niacin in high fat diets, 107.
—, effect of dietary fat on triglyceride structure in, 187.
—, effect of penicillin added to unheated soybean diet on cystine excretion in feces, 123.
— fed low protein, threonine-deficient diet, effect of various diet fats on fatty livers of, 362.
—, female, sexual maturity delay by *Sterculia foetida* oil, 8.
— lipids, effect of linolenic and docosahexaenoic acids on eicosatrienoic acid level on, 196.
— liver cell nuclei, effect of protein intake on ribonucleic acid metabolism in, 319.
— liver, effect of thiamine deficiency and repletion on neutral glyceride, total and free cholesterol, phosphlipids and plasmalogens, 21.
— liver, protein malnutrition and DNA content of, 169.
— liver response to prolonged protein depletion. V. Neutral glycerides and cholesterol, production of fatty livers by certain amino acids in protein-free ration, 73.
— liver response to prolonged protein depletion. VII. Total phospholipids and plasmalogens, and protection of phospholipids by methionine and cystine, 82.
—, hepatic nucleotide levels and NAD synthesis in, influence of dietary orotic acid and adenine, 221.
—, index of protein evaluation, lactation value, in the rat, 52.
—, propylthiouracil-treated, effect of dietary fats on plasma and liver lipids of, 426.
—, protein-depleted, effect of dietary protein on complement, properdin and hemolysin in, 213.
—, protein reserves and growth of Walker carcinosarcoma in, 393.
—, relationship between cholesterol and vitamin A metabolism, 400.
—, relative growth index as bioassay procedure in, 159.
—, thiamine level and reproduction, 102.
— tissue, effect of dietary vitamin D and protein on free amino acids and lipids in rat tissue, 283.
— tissues, effect of pyridoxine deficiency upon polysomes and messenger RNA, 45.
—, urinary creatinine excretion with varying levels of dietary protein and amino acids, 181.
—, urolithiasis, hair growth and weight gain, effect of dietary level of minerals on, 355.
Relative growth index as bioassay procedure in rats, 159.
Reproduction in rat, and level of dietary thiamine, 102.
— of cockerels, protein levels in growing diets and, 29.
Requirement(s), iron, in preadolescent children, 265.
Reserpine, effect on chicks fed copper-deficient diet, 67.
REYNOLDS, MAY S. See Kies, Constance V. 260.
RIKANS, LORA LONG, DOROTHY ARATA AND DENA C. CEDERQUIST. Fatty livers produced in albino rats by excess niacin in high fat diets. II. Effect of choline supplements, 107.
RODAHL, K., B. ISSEKUTZ, JR. AND D. MERRITT SHUMEN. Effect of excess of vitamin A on sulfur metabolism in the rat, 174.
RODERUCK, CHARLOTTE E. See Kenney, Mary Alice, 213.
RNA, messenger, and polysomes of rat tissue, effect of pyridoxine deficiency, 45.
ROBBINS, J. D., R. R. OLTJEN, C. A. CABELL AND E. H. DOLNICK. Influence of varying levels of dietary minerals on the development of urolithiasis, hair growth, and weight gains in rats, 355.
Riboflavin deficiency, effect on response of rats to thalidomide, 309.
Ribonucleic acid metabolism in rat liver cell nuclei, effect of protein intake on, 319.
RICARD, CECELIA A. See Bring, Shirley V., 400.

S

SAUBERLICH, H. E. See Ziporin, Z. Z. 287, 297.
SCHMIDT, D. A. See Miller, E. R., 13.
Sex factor in hypercholesterolemia in rats, interrelation of vitamin B_6 and, 247.
SHAW, JAMES H. Influence of caloric restriction and of reduced feeding time on experimental dental caries in the rat, 338.
SHEEHAN, EDWARD T., AND MITCHELL G. VAVICH. Delay of sexual maturity of the female rat by *Sterculia foetida* oil, 8.
SHORTRIDGE, LUCY. See Kies, Constance V., 260.
SHUE, G. M., AND E. L. HOVE. Interrelation of vitamin B_6 and sex on response of rats to hypercholesterolemic diets, 247.
SHUE, G. M. See Friedman, Leonard, 309.
SHUMEN, D. MERRITT. See Rodahl, K., 174.
SNODGRASS, CAROLYN H. See Brown, Myrtle L. 102.

SOKOLOFF, LEON., AND OLAF MICKELSEN. Dietary fat supplements, body weight and osteoarthritis in DBA/2JN mice, 117.
Soybean(s), raw, rations, environmental temperature and growth inhibition of rats fed, 205.
—, unheated, diets, and growth-stimulating effects of methionine, cystine, and penicillin, with coprophagy prevention in rat, 127.
—, unheated, diet with added penicillin, effect on cystine excretion in rat feces, 123.
— vs. casein protein, effect on mineral balance and vitamin D_2 requirement of baby pig, 347.
SPEIRS, MARY. See Abernathy, R. P. 265.
STANDIFER, L. N. See McNally, J. B., 113.
STARCHER, BARRY. See Hill, Charles H., 271.
Starch utilization by larvae of the flour beetle, *Tribolium castaneum*, 275.
STEELE, BETTY F. See Block, Walter D. 419.
Sterculia foetida oil, delay of sexual maturity of female rat, 8.
STRAIN, GLADYS W., HAROLD B. HOUSER AND HELEN A. HUNSCHER. Effect of protein depletion and repletion in the rabbit on the activity of S^{35} from methionine in serum proteins and urine, 407.
STRUTHERS, R. D. See Ullrey, D. E., 375.
Sulfur metabolism in rats, effect of excess vitamin A, 174.
Sulfur-35 activity from methionine in serum proteins and urine, effect of protein depletion and repletion in rabbits, 407.
Swine, effect of citrus pectin feeding on lipid metabolism and body composition of, 145.
—, vitamin A activity of fermentation β-carotene for, 375.

T

Temperature, environmental, and growth inhibition of rats fed raw soybean rations, 205.
Thalidomide, effect of riboflavin and folic acid deficiency on response of rats to, 309.
Thiamine deficiency and repletion, effect on neutral glyceride, total and free cholesterol, phospholipids and plasmalogens in rat liver, 21.
—, deficiency in young men, effect on red blood cell transketolase, and pyrimidine and thiazole moieties of thiamine, 287.
— excretion in urine of young men with restricted intake, 287.
— level and reproduction in rat, 102.
— metabolites, urinary excretion as measure of thiamine requirement for men, 297.
— requirement in adult human measured by urinary excretion of thiamine metabolites, 297.
Threonine-deficient, low protein diet, effect of various diet fats on fatty livers in rats fed, 362.
Thyroid hormone lacking in growth factor of duodenal powder, 150.
Time, reduced feeding, effect on dental caries in rats, 338.
TODD, F. E. See McNally, J. B., 113.
TRAKATELLIS, ANTHONY C. See Montjar, M., 45.
Tribolium castaneum, starch utilization by larvae of, 275.
Triglyceride(s) structure in rats, effect of dietary fats, 187.
Tumor(s) growth and protein reserves in rats, 393.

U

ULLREY, D. E. See Miller, E. R., 13, 255, 347.
ULLREY, D. E., E. R. MILLER, R. D. STRUTHERS, R. E. PETERSON, J. A. HOEFER AND H. H. HALL. Vitamin A activity of fermentation β-carotene for swine, 375.
UMANA, ROBERTO. Effect of protein malnutrition on the DNA content of rat liver, 169.
Urolithiasis in rats, effect of level of dietary minerals on development, 355.

V

VAVICH, MITCHELL G. See Sheehan, Edward T., 8.
VENNART, GEORGE P. See Miller, Bradford, 21.
VERDINO, B. See Privett, O. S., 187.
Vitamin B_6, interrelation with sex factor, and response of rats to hypercholesterolemic diets, 247.
— A activity of fermentation β-carotene for swine, 375.
— A, excess, effect on sulfur metabolism in rats, 174.
— A level, effect on relationship between cholesterol and vitamin A metabolism in rats, 400.
— A metabolism and cholesterol in rats fed at different vitamin A levels, 400.
— D, dietary, and protein, effect on free amino acids and lipids in rat tissues, 283.
— D_2, dietary, effect of level on calcium, phosphorus and magnesium balance in baby pig, 255.
— D_2 requirement and mineral balance of baby pig, effect of casein and soy proteins on, 347.

W

WADDINGTON, SUSAN. See Munro, H. N. 319.
WALDROUP, P. W. See Wilson, H. R., 29.
Walker carcinosarcoma growth, and protein reserves in rats, 393.
WANNEMACHER, R. W., JR., AND M. B. YATVIN. Protein reserves and growth of the Walker carcinosarcoma in rats, 393.
WARING, P. P. See Ziporin, Z. Z. 287, 297.
Weight gain in rats, effect of dietary level of minerals on, 355.
WENTWORTH, JANE. See Abernathy, R. P. 265.
WILLIAMS, J. N. JR., AND ALICE J. HURLEBAUS. Response of the liver to prolonged protein depletion. V. Neutral glycerides and cholesterol; production of fatty livers by certain amino acids fed in a protein-free ration, 73.
WILLIAMS, J. N. JR., AND ALICE J. HURLEBAUS. Response of the liver to prolonged protein depletion. VI. Total phospholipids and plasmalogens, and protection of phospholipids by methionine and cystine, 82.
WILLIAMS, J. N. JR. See Miller, Bradford, 21.
WILSON, H. R., P. W. WALDROUP, J. E. JONES, D. J. DUERRE AND R. H. HARMS. Protein levels in growing diets and reproductive performance of cockerels, 29.
WINDMUELLER, H. G. Hepatic nucleotide levels and NAD-synthesis as influenced by dietary orotic acid and adenine, 221.

Women, effect of type of carbohydrate on total lipids, nonphospholipids and fractions of phospholipids in serum of, 329.

Y

YATVIN, M. B . See Wannemacher, R. W., Jr. 393.

Z

ZAEHRINGER, MARY V. See Bring, Shirley V. 400.
Zinc, dietary, effect of calcium and phytic acid on utilization of, in rats, 230.
Zinc-65 absorption and turnover in rats. I. Procedure to determine Zn^{65} absorption and antagonistic effect of calcium in practical diet, 367.
ZUTAUT, C. L. See Miller, E. R., 13, 255, 347.
ZIPORIN, Z. Z., W. T. NUNES, R. C. POWELL, P. P. WARING AND H. E. SAUBERLICH. Excretion of thiamine and its metabolites in the urine of young adult males receiving restricted intakes of vitamin, 287.
ZIPORIN, Z. Z., W. T. NUNES, R. C. POWELL, P. P. WARING AND H. E. SAUBERLICH. Thiamine requirement in the adult human as measured by urinary excretion of thiamine metabolites, 297.